



STORM DOORS & PORCH ENCLOSURES

SINCE 1962



EVERLAST
GROUP OF COMPANIES



ALUMINUM STORM DOORS CLASSIC



2" Ribbed Classic Frame

Built with old fashioned craftsmanship to last and look great. Its classic design with stucco embossed kick panel or all glass can dress up any entry door. The 2" thick door comes pre-hung with a standard DX handle, or upgrade to an Modern Lever.

Decorative Stucco Embossed Kick Panels

Available on the SS, DSS, 3LSS, 1L and ¾ SS doors. Both decorative and functional.




ALUMINUM STORM DOORS

MODERN

2 1/4" Flat Modern Frame

A bold modern design, built with old fashioned quality to dress up any entry door with style and functionality. The 2 1/4" thick door comes prehung with screw cover set and has a standard DX handle, or upgrade to an Modern Lever. Also available with a retractable screen.



Optional Retractable Screens

Hidden away when you don't need it and simply roll down from the top when you need some fresh air. Mounted in the frame for a cleaner look. Available only on the 2 1/4" doors SS, DSS, 3LSS, and FL.





SS

SELF STORING

Available in Classic and Modern

Standard Widths: 29" - 36"

1/2" increments available

Standard Heights: 68" - 84"

Custom sizes available upon request

Kickplate Height: 20"

On an 80" door

Optional Retractable Screen

Available on Modern door only (shown)

DELUXE SELF STORING

Available in Classic and Modern

Standard Widths: 30" - 36"

1/2" increments available

Standard Heights: 78 3/4" - 84"

Custom sizes available upon request

Kickplate Height: 6 1/2"

On an 80" door

Optional Retractable Screen

Available on Modern door only (shown)

DSS



3/4 SS

3/4 SELF STORING

Available in Classic and Modern

Standard Widths: 32", 34", 36"

Standard Heights: 78 3/4" - 84"

Custom sizes available upon request

Kickplate Height: 6 1/2"

On an 80" door

Comes with Fixed Screen





1L

ONE LITE

Available in Classic and Modern

Standard Widths: 30" - 36"

1/2" increments available

Standard Heights: 78 1/2" - 84"

Custom sizes available upon request

Kickplate Height: 8"

On an 80" door

Comes with Interchangeable Screen as standard

No Screen is optional (*must be specified on order*)

FULL VIEW

Available in Classic and Modern

Standard Widths: 30" - 36"

1/2" increments available

Standard Heights: 78 1/2" - 84"

Custom sizes available upon request



FV



FL

FULL LITE RETRACTABLE

Available in Modern only

Standard Widths: 30" - 36"

1/2" increments available

Standard Heights: 78 1/2" - 84"

Custom sizes available upon request

Comes with Retractable Screen



3LSS

3-LITE SELF STORING

Available in Classic and Modern

Standard Widths: 30" - 36"

1/2" increments available

Standard Heights: 78½" - 84"

Custom sizes available upon request

Kickplate Height: 8"


On an 80" door

Optional Retractable Screen

Available on Modern door only (shown)

STANDARD COLOURS

Classic 2" door only





Modern 2-1/4" door only




Modern 2-1/4" door only



Modern 2-1/4" door only



Modern 2-1/4" door only



Modern 2-1/4" door only



STANDARD HARDWARE



DX WHITE



DX SILVER



DX BLACK

OPTIONAL HARDWARE



MODERN SILVER



MODERN BLACK



MODERN BRASS

OPTIONAL HARDWARE




EXTERIOR DEADBOLTS

White, Silver, Black



INTERIOR DEADBOLTS

White, Silver, Black



BACK-UP ANGLE SET



ALUMINUM PORCH ENCLOSURES

Classic Porch Enclosure



- Classic porch enclosure is constructed with 2" heavy wall extruded aluminum frame.
- Comes with a Classic style aluminum storm door (refer to aluminum storm door section).
- All hardware and joining channels (U, L, or H) are provided as required for easy installation.
- Curved and straight shapes available.
- Colours available are white and black only.
- Threshold available in mill finish only.
- Single hung and single slider vented panels are available with standard screen on the bottom.
- All panels come with single pane glass.
- Full glass panels with tempered glass and no kick plate are available (upcharge for tempered).
- Sandwich panel aluminum roof is available in white only.

NEW Modern Porch Enclosure



- Modern porch enclosure is constructed with 2 1/4" heavy wall extruded aluminum frame.
- Comes with a Modern aluminum storm door with optional retractable screen (refer to aluminum storm door section).
- All hardware and joining channels (U,L or H) provided as required for easy installation
- Curved and straight shapes available.
- Standard and optional colours available (see storm door colour chart).
- Threshold available in mill finish only.
- Single hung panels are available with optional retractable screen vented panels.
- All panels come with single pane glass.
- Full glass panels with tempered glass and no kick plate are available (upcharge for tempered).
- Sandwich panel aluminum roof is available in white only.



2" Ribbed Classic Frame



2 1/4" Flat Modern Frame

EXAMPLES OF VARIOUS STYLES



SINGLE DOOR WITH TRANSOM
(minimum charge 35 sq.ft.)



**SINGLE DOOR WITH TRANSOM
AND SIDE PANEL**
(minimum charge 45 sq.ft.)



**SINGLE DOOR WITH TRANSOM
AND TWO SIDE PANELS**
(minimum charge 53 sq.ft.)



DOUBLE DOOR WITH TRANSOM
(minimum charge 48 sq.ft.)

GLASS DECORATIVE OPTIONS



FLORAL-A SANDBLAST



FLORAL-B SANDBLAST



FLORAL-C SANDBLAST




**3LSS ARTGLASS SANDBLAST
(SIDE PANELS ONLY)**

STORM DOOR

MEASURE GUIDE


- 1 Measure the width of the door opening on the inside face of the brickmould on each side: top, center & bottom. Record the shortest measurement.
- 2 Measure the height from the top of the door sill to the under-side of the brickmould at the top.
- 3 The box sweep at the bottom of the storm door allows a $\frac{1}{2}$ " expansion. The door will be manufactured to allow a $\frac{1}{4}$ " adjustment up or down from the measurement provided.

- 4 Choose the door handing



Left Hinge Right Hinge

Viewed from Outside



Measured Opening	Required Size
28 $\frac{3}{4}$ " to 29 $\frac{1}{4}$ "	29"
29 $\frac{1}{4}$ " to 29 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "
29 $\frac{3}{4}$ " to 30 $\frac{1}{4}$ "	30"
30 $\frac{1}{4}$ " to 30 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "
30 $\frac{3}{4}$ " to 31 $\frac{1}{4}$ "	31"
31 $\frac{1}{4}$ " to 31 $\frac{3}{4}$ "	31 $\frac{1}{2}$ "
31 $\frac{3}{4}$ " to 32 $\frac{1}{4}$ "	32"
32 $\frac{1}{4}$ " to 32 $\frac{3}{4}$ "	32 $\frac{1}{2}$ "
32 $\frac{3}{4}$ " to 33 $\frac{1}{4}$ "	33"
33 $\frac{1}{4}$ " to 33 $\frac{3}{4}$ "	33 $\frac{1}{2}$ "
33 $\frac{3}{4}$ " to 34 $\frac{1}{4}$ "	34"
34 $\frac{1}{4}$ " to 34 $\frac{3}{4}$ "	34 $\frac{1}{2}$ "
34 $\frac{3}{4}$ " to 35 $\frac{1}{4}$ "	35"
35 $\frac{1}{4}$ " to 35 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "
35 $\frac{3}{4}$ " to 36 $\frac{1}{4}$ "	36"
36 $\frac{1}{4}$ " to 36 $\frac{3}{4}$ "	36 $\frac{1}{2}$ "

Standard 80" door fits opening height of 79 $\frac{3}{4}$ " - 80 $\frac{1}{4}$ "



EVERLAST
GROUP OF COMPANIES



299 Carlingview Drive
Etobicoke, Ontario M9W 5G3
Phone: 1-800-897-5118
Email: info@everlastproducts.ca
www.everlastproducts.ca/storm-doors