



# STORM DOORS & PORCH ENCLOSURES

SINCE 1962



**EVERLAST**  
GROUP OF COMPANIES



# ALUMINUM STORM DOORS CLASSIC



**2" Ribbed Classic Frame**

Built with old fashioned craftsmanship to last and look great. Its classic design with stucco embossed kick panel or all glass can dress up any entry door. The 2" thick door comes pre-hung with a standard DX handle, or upgrade to an Elite Lever.

## Decorative Stucco Embossed Kick Panels

Available on the SS, DSS, 3LSS, 1L and ¾ SS doors. Both decorative and functional.



# ALUMINUM STORM DOORS MODERN




**2 1/4" Flat Modern Frame**

A bold modern design, built with old fashioned quality to dress up any entry door with style and functionality. The 2 ¼" thick door comes prehung with screw cover set and has a standard DX handle, or upgrade to an Elite Lever. Also available with a retractable screen.

## Optional Retractable Screens

Hidden away when you don't need it and simply roll down from the top when you need some fresh air. Mounted in the frame for a cleaner look. Available only on the 2 ¼" doors SS, DSS, 3LSS, and FL.






**SS**

### **SELF STORING**

Available in Classic and Modern

**Standard Widths: 29" - 36"**  
*1/2" increments available*  
**Standard Heights: 68" - 84"**  
*Custom sizes available upon request*  
**Kickplate Height: 20"**  
*On an 80" door*  
**Optional Retractable Screen**  
*Available on Modern door only (shown)*



**1L**

### **ONE LITE**

Available in Classic and Modern

**Standard Widths: 30" - 36"**  
*1/2" increments available*  
**Standard Heights: 78 1/2" - 84"**  
*Custom sizes available upon request*  
**Kickplate Height: 8"**  
*On an 80" door*  
**Comes with Interchangeable Screen as standard**  
**No Screen is optional (must be specified on order)**

### **DELUXE SELF STORING**

Available in Classic and Modern

**DSS**

**Standard Widths: 30" - 36"**  
*1/2" increments available*  
**Standard Heights: 78 3/4" - 84"**  
*Custom sizes available upon request*  
**Kickplate Height: 6 1/2"**  
*On an 80" door*  
**Optional Retractable Screen**  
*Available on Modern door only (shown)*



### **FULL VIEW**

Available in Classic and Modern

**FV**

**Standard Widths: 30" - 36"**  
*1/2" increments available*  
**Standard Heights: 78 1/2" - 84"**  
*Custom sizes available upon request*



**3/4 SS**

### **3/4 SELF STORING**

Available in Classic and Modern

**Standard Widths: 32", 34", 36"**  
**Standard Heights: 78 3/4" - 84"**  
*Custom sizes available upon request*  
**Kickplate Height: 6 1/2"**  
*On an 80" door*  
**Comes with Fixed Screen**



**FL**

### **FULL LITE RETRACTABLE**

Available in Modern only

**Standard Widths: 30" - 36"**  
*1/2" increments available*  
**Standard Heights: 78 1/2" - 84"**  
*Custom sizes available upon request*  
**Comes with Retractable Screen**





3LSS

### 3-LITE SELF STORING

Available in Classic and Modern

Standard Widths: 30" - 36"  
1/2" increments available  
Standard Heights: 78 1/2" - 84"  
Custom sizes available upon request  
Kickplate Height: 8"  
On an 80" door  
Optional Retractable Screen  
Available on Modern door only (shown)

## STANDARD HARDWARE




DX WHITE



DX SILVER




DX BLACK



DX BRASS


## STANDARD COLOURS



WHITE



CHOCOLATE BROWN




COMMERCIAL BROWN

\*Only available in Classic



MILL UNFINISHED


## OPTIONAL COLOURS




SANDALWOOD



CLAY



GREY



BLACK

## OPTIONAL HARDWARE



MODERN SILVER



MODERN BLACK



ELITE BRASS

\*Transition to MODERN BRASS upon depletion of stock

## OPTIONAL HARDWARE



EXTERIOR DEADBOLTS



INTERIOR DEADBOLTS



BACK-UP ANGLE SET



# ALUMINUM PORCH ENCLOSURES

## Classic Porch Enclosure



- Classic porch enclosure is constructed with 2" heavy wall extruded aluminum frame.
- Comes with a Classic style aluminum storm door (refer to aluminum storm door section).
- All hardware and joining channels (U, L, or H) are provided as required for easy installation.
- Curved and straight shapes available.
- Standard and optional colours available (see storm door colour chart).
- Threshold available in mill finish only.
- Single hung and single slider vented panels are available with standard screen on the bottom.
- All panels come with single pane glass.
- Full glass panels with tempered glass and no kick plate are available (upcharge for tempered).
- Sandwich panel aluminum roof is available in white only.

## **NEW** Modern Porch Enclosure



- Modern porch enclosure is constructed with 2 1/4" heavy wall extruded aluminum frame.
- Comes with a Modern aluminum storm door with optional retractable screen (refer to aluminum storm door section).
- All hardware and joining channels (U,L or H) provided as required for easy installation
- Curved and straight shapes available.
- Standard and optional colours available (see storm door colour chart).
- Threshold available in mill finish only.
- Single hung panels are available with optional retractable screen vented panels.
- All panels come with single pane glass.
- Full glass panels with tempered glass and no kick plate are available (upcharge for tempered).
- Sandwich panel aluminum roof is available in white only.



2" Ribbed Classic Frame




2 1/4" Flat Modern Frame

# EXAMPLES OF VARIOUS STYLES



**SINGLE DOOR WITH TRANSOM**  
(minimum charge 35 sq.ft.)



**SINGLE DOOR WITH TRANSOM AND SIDE PANEL**  
(minimum charge 45 sq.ft.)



**SINGLE DOOR WITH TRANSOM AND TWO SIDE PANELS**  
(minimum charge 53 sq.ft.)



**DOUBLE DOOR WITH TRANSOM**  
(minimum charge 48 sq.ft.)


# GLASS DECORATIVE OPTIONS



**PATTERNED V-GROOVE**



**15 SQUARE V-GROOVE**



**BORDER V-GROOVE**



**FLORAL-A SANDBLAST**



**FLORAL-B SANDBLAST**



**FLORAL-C SANDBLAST**




**3LSS ARTGLASS SANDBLAST (SIDE PANELS ONLY)**

# STORM DOOR


## MEASURE GUIDE

- 1 Measure the width of the door opening on the inside face of the brickmould on each side: top, center & bottom. Record the shortest measurement.
- 2 Measure the height from the top of the door sill to the under-side of the brickmould at the top.
- 3 The box sweep at the bottom of the storm door allows a  $\frac{1}{2}$ " expansion. The door will be manufactured to allow a  $\frac{1}{4}$ " adjustment up or down from the measurement provided.

- 4 Choose the door handing



Left Hinge      Right Hinge  
Viewed from Outside



| Measured Opening                         | Required Size      |
|--|--------------------|
| 28 $\frac{3}{4}$ " to 29 $\frac{1}{4}$ " | 29"                |
| 29 $\frac{1}{4}$ " to 29 $\frac{3}{4}$ " | 29 $\frac{1}{2}$ " |
| 29 $\frac{3}{4}$ " to 30 $\frac{1}{4}$ " | 30"                |
| 30 $\frac{1}{4}$ " to 30 $\frac{3}{4}$ " | 30 $\frac{1}{2}$ " |
| 30 $\frac{3}{4}$ " to 31 $\frac{1}{4}$ " | 31"                |
| 31 $\frac{1}{4}$ " to 31 $\frac{3}{4}$ " | 31 $\frac{1}{2}$ " |
| 31 $\frac{3}{4}$ " to 32 $\frac{1}{4}$ " | 32"                |
| 32 $\frac{1}{4}$ " to 32 $\frac{3}{4}$ " | 32 $\frac{1}{2}$ " |
| 32 $\frac{3}{4}$ " to 33 $\frac{1}{4}$ " | 33"                |
| 33 $\frac{1}{4}$ " to 33 $\frac{3}{4}$ " | 33 $\frac{1}{2}$ " |
| 33 $\frac{3}{4}$ " to 34 $\frac{1}{4}$ " | 34"                |
| 34 $\frac{1}{4}$ " to 34 $\frac{3}{4}$ " | 34 $\frac{1}{2}$ " |
| 34 $\frac{3}{4}$ " to 35 $\frac{1}{4}$ " | 35"                |
| 35 $\frac{1}{4}$ " to 35 $\frac{3}{4}$ " | 35 $\frac{1}{2}$ " |
| 35 $\frac{3}{4}$ " to 36 $\frac{1}{4}$ " | 36"                |
| 36 $\frac{1}{4}$ " to 36 $\frac{3}{4}$ " | 36 $\frac{1}{2}$ " |

Standard 80" door fits opening height of 79  $\frac{3}{4}$ " - 80  $\frac{1}{4}$ "